

MODENA 320 LED ED 230V 6x1W blue IP65 15x40st. grey

Kod produktu: 70696



Dane techniczne:

- Lumen LED[lm] **230**
- Luminaire power [W] **8**
- Power LED[W] **6**
- Colour temperature [K] **blue**
- Efficacy[lm/W] **25**
- Lumen luminaire[lm] **200**
- Mounting **surface mounted, directly on the ceiling, with mounting brackets (included)**
- Body **aluminium profile**
- Includes light source **yes**
- Electrical connection **2x1 mm² wire**
- Power supply efficiency **>75%**
- Lifetime **50 000 h**
- Application **facades, hotels, shopping centers, metro, car showrooms**
- Warranty **3 years + 2 years after project registration**

Illumination emphasises important details of the architectures, creates atmosphere and attracts attention. MODENA LED ensures optimal and effective illumination of selected objects.

| Code | Dimensions [mm] L W H D | Pallet quantity | Quantity in package | Net weight[kg] |
|----------------------|----------------------------|-----------------|------------------------|----------------|
| 140082.5L011 1.02 | 312 205 90 66 200 | 1 | 1 | 2,0 |
| 140082.5L011 1.03 | 312 205 90 66 200 | 1 | 1 | 2,0 |
| 140082.5L011 1.05 | 312 205 90 66 200 | 1 | 1 | 2,0 |
| 140082.5L011 1.07 | 312 205 90 66 200 | 1 | 1 | 2,0 |
| 140082.5L011 1.08 | 312 205 90 66 200 | 1 | 1 | 2,0 |
| 140082.5L012 1.02 | 312 205 90 66 200 | 1 | 1 | 2,0 |
| 140082.5L012 | 312 205 90 66 200 | 1 | 1 | 2,0 |

| Code | Dimensions [mm] L W H D | Pallet quantity | Quantity in package | Net weight[kg] |
|--------------|----------------------------|-----------------|------------------------|----------------|
| 1.03 | | | | |
| 140082.5L012 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.05 | | | | |
| 140082.5L012 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.07 | | | | |
| 140082.5L012 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.08 | | | | |
| 140082.5L013 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.02 | | | | |
| 140082.5L013 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.03 | | | | |
| 140082.5L013 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.05 | | | | |
| 140082.5L013 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.07 | | | | |
| 140082.5L013 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.08 | | | | |
| 140082.5L014 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.02 | | | | |
| 140082.5L014 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.03 | | | | |
| 140082.5L014 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.05 | | | | |
| 140082.5L014 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.07 | | | | |
| 140082.5L014 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.08 | | | | |
| 140082.5L015 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.02 | | | | |
| 140082.5L015 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.03 | | | | |
| 140082.5L015 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.05 | | | | |
| 140082.5L015 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.07 | | | | |
| 140082.5L015 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.08 | | | | |
| 140082.5L016 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.02 | | | | |
| 140082.5L016 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.03 | | | | |
| 140082.5L016 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.05 | | | | |
| 140082.5L016 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.07 | | | | |
| 140082.5L016 | 312 205 90 66 200 | | 1 | 2,0 |
| 1.08 | | | | |
| 140082.5L021 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.02 | | | | |
| 140082.5L021 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.03 | | | | |
| 140082.5L021 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.05 | | | | |
| 140082.5L021 | 612 205 90 66 200 | | 1 | 3,1 |

| Code | Dimensions [mm] L W H D | Pallet quantity | Quantity in package | Net weight[kg] |
|--------------|----------------------------|-----------------|------------------------|----------------|
| 1.07 | | | | |
| 140082.5L021 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.08 | | | | |
| 140082.5L022 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.02 | | | | |
| 140082.5L022 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.03 | | | | |
| 140082.5L022 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.05 | | | | |
| 140082.5L022 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.07 | | | | |
| 140082.5L022 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.08 | | | | |
| 140082.5L023 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.02 | | | | |
| 140082.5L023 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.03 | | | | |
| 140082.5L023 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.05 | | | | |
| 140082.5L023 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.07 | | | | |
| 140082.5L023 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.08 | | | | |
| 140082.5L024 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.02 | | | | |
| 140082.5L024 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.03 | | | | |
| 140082.5L024 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.05 | | | | |
| 140082.5L024 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.07 | | | | |
| 140082.5L024 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.08 | | | | |
| 140082.5L025 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.02 | | | | |
| 140082.5L025 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.03 | | | | |
| 140082.5L025 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.05 | | | | |
| 140082.5L025 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.07 | | | | |
| 140082.5L025 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.08 | | | | |
| 140082.5L026 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.02 | | | | |
| 140082.5L026 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.03 | | | | |
| 140082.5L026 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.05 | | | | |
| 140082.5L026 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.07 | | | | |
| 140082.5L026 | 612 205 90 66 200 | | 1 | 3,1 |
| 1.08 | | | | |
| 140082.5L031 | 912 205 90 66 200 | | 1 | 4,9 |

| Code | Dimensions [mm] L W H D | Pallet quantity | Quantity in package | Net weight[kg] |
|--------------|----------------------------|-----------------|------------------------|----------------|
| 1.02 | | | | |
| 140082.5L031 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.03 | | | | |
| 140082.5L031 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.05 | | | | |
| 140082.5L031 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.07 | | | | |
| 140082.5L031 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.08 | | | | |
| 140082.5L032 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.02 | | | | |
| 140082.5L032 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.03 | | | | |
| 140082.5L032 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.05 | | | | |
| 140082.5L032 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.07 | | | | |
| 140082.5L032 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.08 | | | | |
| 140082.5L033 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.02 | | | | |
| 140082.5L033 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.03 | | | | |
| 140082.5L033 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.05 | | | | |
| 140082.5L033 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.07 | | | | |
| 140082.5L033 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.08 | | | | |
| 140082.5L034 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.02 | | | | |
| 140082.5L034 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.03 | | | | |
| 140082.5L034 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.05 | | | | |
| 140082.5L034 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.07 | | | | |
| 140082.5L034 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.08 | | | | |
| 140082.5L035 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.02 | | | | |
| 140082.5L035 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.03 | | | | |
| 140082.5L035 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.05 | | | | |
| 140082.5L035 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.07 | | | | |
| 140082.5L035 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.08 | | | | |
| 140082.5L036 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.02 | | | | |
| 140082.5L036 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.03 | | | | |
| 140082.5L036 | 912 205 90 66 200 | | 1 | 4,9 |

| Code | Dimensions [mm] L W H D | Pallet quantity | Quantity in package | Net weight[kg] |
|--------------|----------------------------|-----------------|------------------------|----------------|
| 1.05 | | | | |
| 140082.5L036 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.07 | | | | |
| 140082.5L036 | 912 205 90 66 200 | | 1 | 4,9 |
| 1.08 | | | | |
| 140082.5L041 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.02 | 6 | | | |
| 140082.5L041 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.03 | 6 | | | |
| 140082.5L041 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.05 | 6 | | | |
| 140082.5L041 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.07 | 6 | | | |
| 140082.5L041 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.08 | 6 | | | |
| 140082.5L042 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.02 | 6 | | | |
| 140082.5L042 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.03 | 6 | | | |
| 140082.5L042 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.05 | 6 | | | |
| 140082.5L042 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.07 | 6 | | | |
| 140082.5L042 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.08 | 6 | | | |
| 140082.5L043 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.02 | 6 | | | |
| 140082.5L043 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.03 | 6 | | | |
| 140082.5L043 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.05 | 6 | | | |
| 140082.5L043 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.07 | 6 | | | |
| 140082.5L043 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.08 | 6 | | | |
| 140082.5L044 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.02 | 6 | | | |
| 140082.5L044 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.03 | 6 | | | |
| 140082.5L044 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.05 | 6 | | | |
| 140082.5L044 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.07 | 6 | | | |
| 140082.5L044 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.08 | 6 | | | |
| 140082.5L045 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.02 | 6 | | | |
| 140082.5L045 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.03 | 6 | | | |
| 140082.5L045 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.05 | 6 | | | |
| 140082.5L045 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.07 | 6 | | | |
| 140082.5L045 | 1212 205 90 6 200 | | 1 | 6,2 |

| Code | Dimensions [mm] L W H D | Pallet quantity | Quantity in package | Net weight[kg] |
|--------------|----------------------------|-----------------|------------------------|----------------|
| 1.08 | 6 | | | |
| 140082.5L046 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.02 | 6 | | | |
| 140082.5L046 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.03 | 6 | | | |
| 140082.5L046 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.05 | 6 | | | |
| 140082.5L046 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.07 | 6 | | | |
| 140082.5L046 | 1212 205 90 6 200 | | 1 | 6,2 |
| 1.08 | 6 | | | |

