

RUNA LED 200 ED 12x1W red IP 10st. black

Kod produktu: 71044



Dane techniczne:

- Lumen LED[lm] **500**
- Luminaire power [W] **15**
- Power LED[W] **12**
- CRI/Ra > **80**
- Colour temperature [K] **red**
- Efficacy[lm/W] **25**
- Lumen luminaire[lm] **380**
- Body **high pressure die-cast aluminum**
- Mounting **in the substrate**
- Electrical connection **2x2,5 mm² wire**
- Power supply efficiency >**80%**
- Includes light source **yes**
- Warranty **3 years + 2 years after project registration**
- Application **pathways, shopping centers, parking areas, Railway stations, hotels**
- Lifetime **50 000 h**
- Other remarks **lack of access to power feeders after installing the housing on solid surface (concrete, paving, etc.) without interfering with its structure**
- Additional equipment **independent power supply cover (in a set)**

| Code | Dimensions [mm] W H | Dimensions de découpe [mm] W H | Pallet quantity | Quantity in package | Net weight[kg] |
|-----------------|------------------------|-----------------------------------|-----------------|---------------------|----------------|
| 140233.5L031.13 | 210 120 | 195 112 | 150 | 1 | 2,7 |
| 140233.5L031.43 | 210 120 | 195 112 | 150 | 1 | 2,7 |
| 140233.5L031.53 | 210 120 | 195 112 | 150 | 1 | 2,7 |
| 140233.5L032.13 | 210 120 | 195 112 | 150 | 1 | 2,7 |
| 140233.5L032.43 | 210 120 | 195 112 | 150 | 1 | 2,7 |
| 140233.5L032.53 | 210 120 | 195 112 | 150 | 1 | 2,7 |
| 140233.5L033.13 | 210 120 | 195 112 | 150 | 1 | 2,7 |
| 140233.5L033.43 | 210 120 | 195 112 | 150 | 1 | 2,7 |
| 140233.5L033.53 | 210 120 | 195 112 | 150 | 1 | 2,7 |
| 140233.5L034.13 | 210 120 | 195 112 | 150 | 1 | 2,7 |
| 140233.5L034.43 | 210 120 | 195 112 | 150 | 1 | 2,7 |
| 140233.5L034.53 | 210 120 | 195 112 | 150 | 1 | 2,7 |

| Code | Dimensions [mm] W H | Dimensions de découpe [mm] W H | Pallet quantity | Quantity in package | Net weight[kg] |
|-----------------|------------------------|-----------------------------------|-----------------|---------------------|----------------|
| 140233.5L035.13 | 210 120 | 195 112 | 150 | 1 | 2,7 |
| 140233.5L035.43 | 210 120 | 195 112 | 150 | 1 | 2,7 |
| 140233.5L035.53 | 210 120 | 195 112 | 150 | 1 | 2,7 |
| 140233.5L031.33 | 210 120 | 210 - | - | - | 2,2 |



