

# TCW060 2xTL-D36W HF

Kod produktu: 74725



## Dane techniczne:

- Dimmable **No [No]**
- Lamp family code **TL-D [MASTER TL-D]**
- Lamp power **36 W [36 W]**
- Gear **HFP [HF Performer]**
- Ingress protection code **IP66 [Dust penetration-protected, jet-proof]**
- Input voltage **220-240 V [220 to 240 V]**

TCW216 - 2 pcs - MASTER TL-D - 36 W - HF Performer


Pacific TCW216 is a functional dust-, jet-, shock- and vandalproof luminaire, and can accommodate both TL-D and TL5 (16 mm) fluorescent lamps. The cover is fixed to the housing by means of an innovative concept using integrated fixing points to avoid external lockers. There is a choice of different standard versions available. The luminaire can be mounted individually or in-line with easy 'click' installation. Flexibility is ensured with a choice of fixing points and different cable entries. The TCW216 can also be suspended from Philips TTX410 light-line systems.

## Features

Dust-, jet-, shock- and vandal-proof  
TL-D or TL5 (16 mm) fluorescent lamps  
Mounting individually or in lines  
Also available in versions for cold stores (-20 °C)

## Applications

Industry  
Indoor workplaces  
Parking garages  
Cold stores -20°C (XAP)





CE

